




Relays & Contactors > Relays > Power Relays



Relay Type: **General Purpose Power Relay**

Coil Magnetic System: **Monostable**

Coil Resistance: **82 Ω**

Coil Special Features: **Coil Suppression Diode**

Coil Voltage Rating: **18 VDC, 32 VDC**

## Features

### Product Type Features

Relay Type	General Purpose Power Relay
------------	-----------------------------

### Configuration Features

Coil Special Features	Coil Suppression Diode
Contact Arrangement	1 Form X SPST-NO-DM
Contact Number of Poles	1

### Electrical Characteristics

Coil Resistance	82 Ω
Coil Voltage Rating	18 VDC, 32 VDC
Contact Current Rating	500 A
Contact Voltage Rating	24 VDC

### Contact Features

Contact Material	Silver Alloy
------------------	--------------

### Termination Features

--	--



Relay Connection Type	Terminals
Terminal Configuration	Screw Terminals

### Mechanical Attachment

Product Mounting Feature Type	Flange with Mounting Holes
Product Mount Type	Chassis

### Dimensions

Product Width	56 mm[2.2 in]
Product Length	135 mm[5.31 in]
Product Height	108 mm[4.25 in]

### Operation/Application

Current Type	DC
Coil Magnetic System	Monostable

### Other

Contact Current Class	500 A
-----------------------	-------

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Not Yet Reviewed
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Not reviewed for China RoHS compliance
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the

product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

## Compatible Parts



TE Part # CAT-AL6-KSPR29120  
Power Relay, 120A, Standard, Monostable, DC



TE Part # CAT-AL6-KSPR2975  
Power Relay, 75A, Standard, Monostable, DC



TE Part # CAT-AL6-KSPR29200  
Power Relay, 200A, Standard, Monostable, DC



TE Part # CAT-AL6-KSPR29300  
Power Relay, 300A, Standard, Monostable, DC



TE Part # K1060046  
Relay 30-211-02



TE Part # CAT-AL6-KSPR30300  
Power Relay, 300A, Standard, Bistable, 2 Coils, Polarized



TE Part # K1009319  
Relay 26-02-14 painted



TE Part # K1128203  
Relay 1000A(24V)Bist. Minusab. 26-02-30



TE Part # K1128207  
Relay 1000A(24V)Bist. Plusab. 26-02-31



TE Part # K1000102  
Flansch-Sonder ZOLL-AUSF. Typ 26-02-53



TE Part # K1021430  
Relay 26-05-03



TE Part # K1013886  
Relay 26-05-11



TE Part # K1013769  
Relay 26-05-21



TE Part # K1148154  
Relay 26-05-23






TE Part # K1135475  
Relay 26-05-251



TE Part # K1147622  
Bistable relay 500A 28V, Type 26-05-33



Also in the Series | **KISSLING Series 26**



Customers Also Bought



Documents

[Product Drawings](#)

[Relay 26-05-61](#)

English

[CAD Files](#)

[3D PDF](#)

[3D](#)



**Customer View Model**

[ENG\\_CVM\\_CVM\\_26-05-61\\_1.2d\\_dxf.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_26-05-61\\_1.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_26-05-61\\_1.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

**Datasheets & Catalog Pages**

[KISSLING HIGH PERFORMANCE RELAYS Series 26 / 350A, 500A](#)

English

[Solutions for Defense Applications Certified to VG Standards](#)

English