

30-211-02 ✓ ACTIVE

KISSLING | KISSLING Series 30

TE Internal #: K1060046

General Purpose Power Relay, Bistable, 2 Coils, Polarized, 8 ohm
Coil Resistance, None, 18 VDC / 32 VDC Coil Voltage, KISSLING
Series 30, Power Relays

[View on TE.com >](#)



Relays & Contactors > Relays > Power Relays > Power Relay, 200A, Standard, Bistable, 2 Coils, Polarized



Relay Type: **General Purpose Power Relay**

Coil Magnetic System: **Bistable, 2 Coils, Polarized**

Coil Resistance: **8 Ω**

Coil Special Features: **None**

Coil Voltage Rating: **18 VDC, 32 VDC**

[All Power Relay, 200A, Standard, Bistable, 2 Coils, Polarized \(8\)](#)

Features

Product Type Features

Relay Type	General Purpose Power Relay
------------	-----------------------------

Configuration Features

Coil Special Features	None
Contact Arrangement	1 Form X SPST-NO-DM
Contact Number of Poles	1

Electrical Characteristics

Coil Resistance	8 Ω
Coil Voltage Rating	18 VDC, 32 VDC
Contact Current Rating	200 A
Contact Voltage Rating	24 VDC

Contact Features

Contact Material	Silver Alloy
------------------	--------------



Termination Features

Relay Connection Type	Terminals
Terminal Configuration	Screw Terminals

Mechanical Attachment

Product Mounting Feature Type	Mounting Brackets
Product Mount Type	Chassis

Dimensions

Product Width	62 mm[2.44 in]
Product Length	90 mm[3.54 in]
Product Height	55.5 mm[2.18 in]

Operation/Application

Coil Magnetic System	Bistable, 2 Coils, Polarized
----------------------	------------------------------

Other

Contact Current Class	200 A
-----------------------	-------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Not Yet Reviewed
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Not reviewed for China RoHS compliance
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the

product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # CAT-AL6-KSPR29120
Power Relay, 120A, Standard, Monostable, DC



TE Part # CAT-AL6-KSPR2975
Power Relay, 75A, Standard, Monostable, DC



TE Part # CAT-AL6-KSPR29200
Power Relay, 200A, Standard, Monostable, DC



TE Part # CAT-AL6-KSPR29300
Power Relay, 300A, Standard, Monostable, DC



TE Part # CAT-AL6-KSPR30300
Power Relay, 300A, Standard, Bistable, 2 Coils, Polarized



TE Part # K1009319
Relay 26-02-14 painted



TE Part # K1128203
Relay 1000A(24V)Bist. Minusab. 26-02-30



TE Part # K1128207
Relay 1000A(24V)Bist. Plusab. 26-02-31



TE Part # K1000102
Flansch-Sonder ZOLL-AUSF. Typ 26-02-53



TE Part # K1021430
Relay 26-05-03



TE Part # K1013886
Relay 26-05-11



TE Part # K1013769
Relay 26-05-21



TE Part # K1148154
Relay 26-05-23



TE Part # K1135475
Relay 26-05-251



TE Part # K1147622
Bistable relay 500A 28V, Type 26-05-33



TE Part # K1013887
Relay 26-05-61




TE Part # K1060391
Relay 26-05-63



TE Part # K1014951
Relay-ETD 26-05-83-0-010




TE Part # K1013583
Relay-ECS 26-05-93



TE Part # K1018833
Relay-ECS 26-05-93-050

Also in the Series | **KISSLING Series 30**



Power Relays(37)

Customers Also Bought



TE Part #DRBF-2A
FLANGE, MOUNT, 60/48P, BLK, A



TE Part #K1022530
Switch guard 07-0-0-01



TE Part #K1158023
Actuation Protection 24-63-029 BX



TE Part #K1152994
Emergency Stop Switch ES-2012-T111



TE Part #K1129657
Relay 29-211-12-940



TE Part #K1060663
Battery Disconnecter 35-202



TE Part #9-1393303-7
V23134J0053D642-EV-CBOX



TE Part #K1002981
Toggle Switch 07-2-2-13



TE Part #K1138411
Relay 300A 24V 29-333-12



Documents

Product Drawings

[Relay 30-211-02](#)

German

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_30-211-02_1.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_30-211-02_1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_30-211-02_1.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[KISSLING SINGLE POLE BI-STABLE RELAYS Series 30 / 200A](#)

English